

Number	KIP-15697/G	Scope	Regulation (EU) 2016/426
Issue date	24-04-2018	Module	B
Expire date	23-04-2028		
PIN	0476CQ0750	Report	150900750/2
Replaces	—	Page	1 of 6

EU TYPE-EXAMINATION CERTIFICATE

Kiwa Cermet Italia declares that the products type:

Automatic forced draught burners for gaseous fuels

Trade mark: **CIB Unigas**

Models: *as specified in the **Annex 1, 2, 3, 4 and 5***

Placed on the market by **CIB Unigas S.p.A.**

Via Luigi Galvani, 9
35011 Campodarsego (PD) - Italy

meet the essential requirements as described in the
Regulation (EU) 2016/426 relating to appliances burning gaseous fuels.

Appliance type: N.A.

Countries: AL, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR,
HR, HU, IE, IS, IT, LT, LU, LV, MK, MT, NO, NL, PL, PT, RO,
SE, SI, SK, TR

Related to the following gas groups: *as specified in the **Annex 5***

The assessment test have been performed using the following standards as
guidelines:
EN 676:2003+A2:2008, EN 676:2003+A2:2008/AC:2008

The validity of this certificate can be verified on request at the following e-mail address: info@kiwa.it
This certificate will expire if there have been any changes to the product that may have an impact on compliance with the requirements
of the Directive. This certificate will expire if there have been any updates and / or changes to the Technical Standards applicable unless
specifically approved by Kiwa Cermet Italia.

CERTIFICATE

Kiwa Cermet Italia S.p.A.
Società con socio unico, soggetta all'attività di
direzione e coordinamento di Kiwa Italia
Holding Srl

Via Cadriano, 23
40057 Granarolo dell'Emilia (BO)

Unità locale
Via Treviso 32/34
31020 San Vendemiano (TV)

Tel +39. 0438 411755
Fax +39.0438 22428

E-mail: info@kiwacermet.it

www.kiwa.it
www.kiwacermet.it

Chief Operating Officer
Giampiero Belcredi




SGQ N° 007A
SGA N° 010D
PRD N° 069B
FSM N° 004I
PRS N° 089C



GASTEC

Organismo Notificato n. 0476



Number KIP-15697/G Scope Regulation (EU) 2016/426
 Issue date 24-04-2018 Module B
 Expire date 23-04-2028
 PIN 0476CQ0750 Report 150900750/2
 Replaces --- Page 2 of 6

EU TYPE-EXAMINATION CERTIFICATE

ANNEX 1

Models:

S5	M-		TN				W	XX	K	Q	15						JJ
S10	M-		(TN)	(AB)	(PR)	(MD)	W	XX	K	Q	20						JJ
S18	M-		(TN)	(AB)	(PR)	(MD)	W	XX	K	Q	25						JJ
P61	M-			(AB)	(PR)	(MD)	W	XX	K	Q	(32)	(40)	(50)	(65)			JJ
P65	M-			(AB)	(PR)	(MD)	W	XX	K	Q	(32)	(40)	(50)	(65)			JJ
P71	M-			(AB)	(PR)	(MD)	W	XX	K	Q	(40)	(50)	(65)	(80)			JJ
P73A	M-			(AB)	(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)				JJ
P91A	M-				(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)			JJ
P92A	M-				(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)			JJ
P93A	M-				(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)			JJ
P512A	M-				(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)			JJ
P515A	M-				(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)			JJ
P520A	M-				(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)			JJ
P525A	M-				(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)			JJ

R73A	M-				(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)				JJ
R75A	M-			(AB)	(PR)	(MD)	W	XX	K	Q	(40)	(50)	(65)	(80)			JJ
R91A	M-				(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)			JJ
R92A	M-				(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)			JJ
R93A	M-				(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)			JJ
R512A	M-				(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)			JJ
R515A	M-				(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)			JJ
R520A	M-				(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)			JJ
R525A	M-				(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)			JJ

RX75	M-			(AB)	(PR)	(MD)	W	XX	K	Q	(40)	(50)	(65)	(80)			JJ
RX75R	M-			(AB)	(PR)	(MD)	W	XX	K	Q	(40)	(50)	(65)	(80)			JJ
RX92R	M-				(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)			JJ
RX510	M-				(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)			JJ
RX512R	M-				(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)			JJ
RX515	M-				(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)			JJ
RX520	M-				(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)			JJ

CERTIFICATE

Kiwa Cermet Italia S.p.A.
 Società con socio unico, soggetta all'attività di
 direzione e coordinamento di Kiwa Italia
 Holding Srl

Via Cadriano, 23
 40057 Granarolo dell'Emilia (BO)

Unità locale
 Via Treviso 32/34
 31020 San Vendemiano (TV)

Tel +39. 0438 411755
 Fax +39.0438 22428
 E-mail: info@kiwacermet.it
www.kiwa.it
www.kiwacermet.it

GASTEC



Number KIP-15697/G Scope Regulation (EU) 2016/426
 Issue date 24-04-2018 Module B
 Expire date 23-04-2028
 PIN 0476CQ0750 Report 150900750/2
 Replaces — Page 3 of 6

EU TYPE-EXAMINATION CERTIFICATE

ANNEX 2

HS5	MG	TN				W	XX	K	Q	15						JJ
HS10	MG	TN				W	XX	K	Q	20						JJ
HS18	MG	TN				W	XX	K	Q	25						JJ
HP20	MG		(AB)	(PR)	(MD)	W	XX	K	Q	(25)	(32)	(40)				JJ
HP30	MG		(AB)	(PR)	(MD)	W	XX	K	Q	(32)	(40)					JJ
HP60	MG		(AB)	(PR)	(MD)	W	XX	K	Q	(40)	(50)	(65)				JJ
HP65	MG		(AB)	(PR)	(MD)	W	XX	K	Q	(50)	(65)					JJ
HP72	MG		(AB)	(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)				JJ
HP73A	MG		(AB)	(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)			JJ
HP91A	MG			(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)			JJ
HP92A	MG			(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)			JJ
HP93A	MG			(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)			JJ
HP512A	MG			(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)			JJ
HP515A	MG			(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)			JJ
HP520A	MG			(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)			JJ
HP525A	MG			(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)			JJ

HR73A	MG			(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)			JJ
HR75A	MG		(AB)	(PR)	(MD)	W	XX	K	Q	(40)	(50)	(65)	(80)	(100)		JJ
HR91A	MG			(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)			JJ
HR92A	MG			(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)			JJ
HR93A	MG			(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)			JJ
HR512A	MG			(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)			JJ
HR515A	MG			(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)			JJ
HR520A	MG			(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)			JJ
HR525A	MG			(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)			JJ

KP60	MN			(PR)	(MD)	W	XX	K	Q	(40)	(50)	(65)				JJ
KP72	MN			(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)				JJ
KP73	MN		(AB)	(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)			JJ
KP91	MN			(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)			JJ
KP92	MN			(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)			JJ
KP93	MN			(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)			JJ
KP512	MN			(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)			JJ
KP515	MN			(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)			JJ
KP520	MN			(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)			JJ
KP525	MN			(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)			JJ

CERTIFICATE

Kiwa Cermet Italia S.p.A.
 Società con socio unico, soggetta all'attività di
 direzione e coordinamento di Kiwa Italia
 Holding Srl

Via Cadriano, 23
 40057 Granarolo dell'Emilia (BO)

Unità locale
 Via Treviso 32/34
 31020 San Vendemiano (TV)

Tel +39. 0438 411755
 Fax +39.0438 22428

E-mail: info@kiwacermet.it

www.kiwa.it
www.kiwacermet.it

GASTEC



Number KIP-15697/G Scope Regulation (EU) 2016/426
 Issue date 24-04-2018 Module B
 Expire date 23-04-2028
 PIN 0476CQ0750 Report 150900750/2
 Replaces — Page 4 of 6

EU TYPE-EXAMINATION CERTIFICATE

ANNEX 3

KR73	MN		(AB)	(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)		JJ
KR75	MN		(AB)	(PR)	(MD)	W	XX	K	Q	(40)	(50)	(65)	(80)	(100)	JJ
KR91	MN			(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)		JJ
KR92	MN			(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)		JJ
KR93	MN			(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)		JJ
KR512	MN			(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)		JJ
KR515	MN			(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)		JJ
KR520	MN			(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)		JJ
KR525	MN			(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)		JJ

LX60	M-		(AB)	(PR)	(MD)	W	XX	K	Q	(32)	(40)	(50)	(65)	(80)	JJ
LX65	M-		(AB)	(PR)	(MD)	W	XX	K	Q	(32)	(40)	(50)	(65)		JJ
LX72	M-		(AB)	(PR)	(MD)	W	XX	K	Q	(40)	(50)	(65)	(80)		JJ
LX90	M-			(PR)	(MD)	W	XX	K	Q	(40)	(50)	(65)	(80)	(100)	JJ
LX91	M-			(PR)	(MD)	W	XX	K	Q	(40)	(50)	(65)	(80)	(100)	JJ
LX510	M-			(PR)	(MD)	W	XX	K	Q		(50)	(65)	(80)	(100)	JJ
LX515	M-			(PR)	(MD)	W	XX	K	Q		(50)	(65)	(80)	(100)	JJ
LX520	M-			(PR)	(MD)	W	XX	K	Q		(50)	(65)	(80)	(100)	JJ

P61	L-		(AB)	(PR)	(MD)	W	XX	K	Q	(32)	(40)	(50)	(65)		JJ
P65	L-		(AB)	(PR)	(MD)	W	XX	K	Q	(32)	(40)	(50)	(65)		JJ
P71	L-		(AB)	(PR)	(MD)	W	XX	K	Q	(40)	(50)	(65)	(80)		JJ
P73A	L-		(AB)	(PR)	(MD)	W	XX	K	Q	(40)	(50)	(65)	(80)		JJ
HP73A	LG		(AB)	(PR)	(MD)	W	XX	K	Q	(40)	(50)	(65)	(80)	(100)	JJ
KP73A	LN			(PR)	(MD)	W	XX	K	Q	(40)	(50)	(65)	(80)	(100)	JJ
R73A	L-			(PR)	(MD)	W	XX	K	Q	(40)	(50)	(65)	(80)		JJ
HR73A	LG			(PR)	(MD)	W	XX	K	Q	(40)	(50)	(65)	(80)	(100)	JJ
KR73A	LN			(PR)	(MD)	W	XX	K	Q	(40)	(50)	(65)	(80)	(100)	JJ
R75A	L-		(AB)	(PR)	(MD)	W	XX	K	Q	(32)	(40)	(50)			JJ
HR75A	LG		(AB)	(PR)	(MD)	W	XX	K	Q	(32)	(40)	(50)			JJ
KR75A	LN		(AB)	(PR)	(MD)	W	XX	K	Q	(32)	(40)	(50)			JJ

C85A	M-	/	(AB)	(PR)	(MD)	W	XX	K	Q	(32)	(40)	(50)	(65)		JJ
C83X	(M-)	(MG)	(AB)	(PR)	(MD)	W	XX	K	Q	(32)	(40)	(50)	(65)		JJ
C92A	MG	/	(AB)	(PR)	(MD)	W	XX	K	Q	(32)	(40)	(50)	(65)		JJ

C120A	(M-)	(MG)	(AB)	(PR)	(MD)	W	XX	K	Q	(40)	(50)	(65)	(80)		JJ
-------	------	------	------	------	------	---	----	---	---	------	------	------	------	--	----

E165A	(M-)	(MG)	(AB)	(PR)	(MD)	W	XX	K	Q	(40)	(50)	(65)	(80)		JJ
E205A	(M-)	(MG)	(AB)	(PR)	(MD)	W	XX	K	Q	(40)	(50)	(65)	(80)		JJ
E190X	(M-)	(MG)	(AB)	(PR)	(MD)	W	XX	K	Q	(40)	(50)	(65)	(80)		JJ
E140X	(M-)	(MG)	(AB)	(PR)	(MD)	W	XX	K	Q	(40)	(50)	(65)	(80)		JJ
E115X	(M-)	(MG)	(AB)	(PR)	(MD)	W	XX	K	Q	(40)	(50)	(65)	(80)		JJ

CERTIFICATE


Kiwa Cermet Italia S.p.A.
 Società con socio unico, soggetta all'attività di
 direzione e coordinamento di Kiwa Italia
 Holding Srl

Via Cadriano, 23
 40057 Granarolo dell'Emilia (BO)

Unità locale
 Via Treviso 32/34
 31020 San Vendemiano (TV)

Tel +39. 0438 411755
 Fax +39.0438 22428
 E-mail: info@kiwacermet.it
www.kiwa.it
www.kiwacermet.it

GASTEC



Number KIP-15697/G Scope Regulation (EU) 2016/426
 Issue date 24-04-2018 Module B
 Expire date 23-04-2028
 PIN 0476CQ0750 Report 150900750/2
 Replaces — Page 5 of 6

EU TYPE-EXAMINATION CERTIFICATE

ANNEX 4

N880X	(M-)	(MG)			(PR)	(MD)	W	XX	K	Q		(65)	(80)	(100)	(125)	JJ
N925X	(M-)	(MG)			(PR)	(MD)	W	XX	K	Q		(65)	(80)	(100)	(125)	JJ
N1060X	(M-)	(MG)			(PR)	(MD)	W	XX	K	Q			(80)	(100)	(125)	JJ

N1060A	(M-)	(MG)			(PR)	(MD)	W	XX	K	Q			(80)	(100)	(125)	JJ
N1300A	(M-)	(MG)			(PR)	(MD)	W	XX	K	Q			(80)	(100)	(125)	JJ

K750A	(M-)	(MG)			(PR)	(MD)	W	XX	K	Q		(65)	(80)	(100)	(125)	JJ
K890A	(M-)	(MG)			(PR)	(MD)	W	XX	K	Q		(65)	(80)	(100)	(125)	JJ
K990A	(M-)	(MG)			(PR)	(MD)	W	XX	K	Q			(80)	(100)	(125)	JJ

K590X	(M-)	(MG)			(PR)	(MD)	W	XX	K	Q		(65)	(80)	(100)	(125)	JJ
K750X	(M-)	(MG)			(PR)	(MD)	W	XX	K	Q		(65)	(80)	(100)	(125)	JJ

NG35	M-		(TN)	(AB)			W	XX	K	Q				(10)	(15)			JJ		
NGX35	M-		TN				W	XX	K	Q				(10)	(15)			JJ		
NGX65	M-		(TN)	(AB)	(PR)	(MD)	W	XX	K	Q					(15)	(20)		JJ		
NG70	M-		(TN)	(AB)			W	XX	K	Q				(10)	(15)			JJ		
NGX70	M-		(TN)	(AB)			W	XX	K	Q				(10)	(15)	(20)		JJ		
NG90	M-		(TN)	(AB)			W	XX	K	Q				(10)	(15)	(20)		JJ		
NG120	M-		(TN)	(AB)	(PR)	(MD)	W	XX	K	Q				(15)	(18)	(20)	(25)	JJ		
NGX120	M-		(TN)	(AB)	(PR)	(MD)	W	XX	K	Q				(15)	(18)	(20)	(25)	JJ		
NGX125	M-		(TN)	(AB)	(PR)	(MD)	W	XX	K	Q						(20)	(25)	JJ		
NG140	M-		(TN)	(AB)	(PR)	(MD)	W	XX	K	Q				(15)	(18)	(20)	(25)	JJ		
NGX145	M-			(AB)	(PR)	(MD)	W	XX	K	Q				(20)	(25)	(32)	(40)	JJ		
NGX170	M-				(PR)	(MD)	W	XX	K	Q				(25)	(32)	(40)		JJ		
NG200	M-		(TN)	(AB)	(PR)	(MD)	W	XX	K	Q				(15)	(18)	(20)	(25)	(32)	(40)	JJ
NGX200	M-		(TN)	(AB)	(PR)	(MD)	W	XX	K	Q				(15)	(18)	(20)	(25)	(32)	(40)	JJ
NG280	M-		(TN)	(AB)	(PR)	(MD)	W	XX	K	Q				(15)	(20)	(25)	(32)	(40)	(50)	JJ
NGX280	M-		(TN)	(AB)	(PR)	(MD)	W	XX	K	Q				(15)	(20)	(25)	(32)	(40)	(50)	JJ
NGX300	M-				(PR)	(MD)	W	XX	K	Q				(25)	(32)	(40)	(50)		JJ	
NG350	M-		(TN)		(PR)	(MD)	W	XX	K	Q				(15)	(20)	(25)	(32)	(40)		JJ
NGX350	M-		(TN)		(PR)	(MD)	W	XX	K	Q				(15)	(20)	(25)	(32)	(40)		JJ
NG400	M-		(TN)		(PR)	(MD)	W	XX	K	Q				(15)	(20)	(25)	(32)	(40)	(50)	JJ
NGX400	M-		(TN)		(PR)	(MD)	W	XX	K	Q				(15)	(20)	(25)	(32)	(40)	(50)	JJ
NG550	M-		(TN)	(AB)	(PR)	(MD)	W	XX	K	Q	(15)	(20)	(25)	(32)	(40)	(50)	(65)		JJ	
NGX550	M-			(AB)	(PR)	(MD)	W	XX	K	Q	(15)	(20)	(25)	(32)	(40)	(50)	(65)		JJ	

CERTIFICATE

Kiwa Cermet Italia S.p.A.
 Società con socio unico, soggetta all'attività di
 direzione e coordinamento di Kiwa Italia
 Holding Srl

Via Cadriano, 23
 40057 Granarolo dell'Emilia (BO)

Unità locale
 Via Treviso 32/34
 31020 San Vendemiano (TV)

Tel +39. 0438 411755


Fax +39.0438 22428

E-mail: info@kiwacermet.it

www.kiwa.it

www.kiwacermet.it

GASTEC



Number KIP-15697/G Scope Regulation (EU) 2016/426
 Issue date 24-04-2018 Module B
 Expire date 23-04-2028
 PIN 0476CQ0750 Report 150900750/2
 Replaces --- Page 6 of 6

EU TYPE-EXAMINATION CERTIFICATE

ANNEX 5

LG35	L-	(TN)	(AB)			W	XX	K	Q			(10)	(15)			JJ	
LG70	L-	(TN)	(AB)			W	XX	K	Q			(10)	(15)			JJ	
LG90	L-	(TN)	(AB)			W	XX	K	Q			(10)	(15)	(20)		JJ	
LG120	L-	(TN)	(AB)	(PR)	(MD)	W	XX	K	Q			(15)	(18)	(20)	(25)	JJ	
LG140	L-	(TN)	(AB)	(PR)	(MD)	W	XX	K	Q			(15)	(18)	(20)	(25)	JJ	
LG200	L-	(TN)	(AB)	(PR)	(MD)	W	XX	K	Q		(15)	(18)	(20)	(25)	(32)	(40)	JJ
LG280	L-	(TN)	(AB)	(PR)	(MD)	W	XX	K	Q		(15)	(20)	(25)	(32)	(40)		JJ
LG350	L-	(TN)		(PR)	(MD)	W	XX	K	Q		(15)	(20)	(25)	(32)	(40)		JJ
LG400	L-	(TN)		(PR)	(MD)	W	XX	K	Q		(15)	(20)	(25)	(32)	(40)	(50)	JJ
LG550	L-	(TN)	(AB)	(PR)	(MD)	W	XX	K	Q	(15)	(20)	(25)	(32)	(40)	(50)	(65)	JJ

The extension "W" is replaced by the manufacturer with the Blast Tube Version and type of air inlet.
 The extension "XX" is replaced by the manufacturer with the initials of the destination country.
 The extension "K" is replaced by the manufacturer with a letter indicating the burner type.
 The extension "Q" is replaced by the manufacturer with the Burners Equipment.
 The extension "JJ" is replaced by the manufacturer with a letter indicating the burner control system.
 Abbreviations between parenthesis mean that other choices can be available.

Gas groups:

Models "...M-...", "...MG...", "...MN..."

Group	mbar
E	---
H	---

Group	mbar
L	---
LL	---

Group	mbar
Er, E(R)	---
EK	---

Models "...L-...", "...LG...", "...LN..."

Group	mbar
B/PH	---

Group	mbar
P	---

The above gas groups can be combined according to the standard EN437:2009 and national situation of countries.

CERTIFICATE

Kiwa Cermet Italia S.p.A.
 Società con socio unico, soggetta all'attività di
 direzione e coordinamento di Kiwa Italia
 Holding Srl

Via Cadriano, 23
 40057 Granarolo dell'Emilia (BO)

Unità locale
 Via Treviso 32/34
 31020 San Vendemiano (TV)

Tel +39. 0438 411755
 Fax +39.0438 22428

E-mail: info@kiwacermet.it
www.kiwa.it
www.kiwacermet.it