



<b>Number</b>	KIP-16539/G	<b>Replaces</b>	KIP-16235/G
<b>Issue date</b>	02-03-2020	<b>Contract number</b>	I4400
<b>Due date</b>	01-03-2030	<b>Scope</b>	(EU) 2016/426 (9 March 2016)
<b>Report number</b>	150900750/4	<b>Module</b>	B (Type testing)
<b>PIN</b>	0476CQ0750		

## EU TYPE-EXAMINATION CERTIFICATE (GAR)

Kiwa Cermet Italia declares that the Automatic forced draught burners for gaseous fuels, type(s):

**as specified in the Appendix 1, 2, 3 and 4.**

Manufacturer

**CIB Unigas S.p.A.**  
**Via Luigi Galvani, 9**  
**35011, Campodarsego (PD) - Italy**

Meet the essential requirements as described in the  
**Regulation (EU) 2016/426 relating to appliances burning gaseous fuels.**

Reference standard: EN 676:2003+A2:2008, EN 676:2003+A2:2008/AC:2008

This certificate is only valid in combination with the appendix to this certificate, where specific information and/or conditions are given.

# CERTIFICATE

**Kiwa Cermet Italia S.p.A.**  
Società con socio unico, soggetta all'attività di  
direzione e coordinamento di Kiwa Italia  
Holding Srl

Via Cadriano, 23  
40057 Granarolo dell'Emilia (BO)  
**Unità locale**

Via Treviso 32/34  
31020 San Vendemiano (TV)

Tel +39. 0438 411755

Fax +39.0438 22428

E-mail: [info@kiwacermet.it](mailto:info@kiwacermet.it)

[www.kiwa.it](http://www.kiwa.it)

[www.kiwacermet.it](http://www.kiwacermet.it)

**GASTEC**

**Chief Operating Officer**  
*Giampiero Belcredi*



**Number** KIP-16539/G **Page** 1 of 4  
**Issue date** 02-03-2020 **Scope** (EU) 2016/426 (9 March 2016)  
**Due date** 01-03-2030 **Module** B (Type testing)  
**Report number** 150900750/4  
**PIN** 0476CQ0750

## APPENDIX TO EU TYPE-EXAMINATION CERTIFICATE (GAR)

Brand name:  
**CIB Unigas**

Types:

S5	M-		TN				W	XX	K	Q	15					JJ		
S10	M-		(TN)	(AB)	(PR)	(MD)	W	XX	K	Q	20					JJ		
S18	M-		(TN)	(AB)	(PR)	(MD)	W	XX	K	Q	25					JJ		
P61	M-			(AB)	(PR)	(MD)	W	XX	K	Q	(32)	(40)	(50)	(65)		JJ		
P65	M-			(AB)	(PR)	(MD)	W	XX	K	Q	(32)	(40)	(50)	(65)		JJ		
P71	M-			(AB)	(PR)	(MD)	W	XX	K	Q	(40)	(50)	(65)	(80)		JJ		
P73A	M-			(AB)	(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)			JJ		
P91A	M-				(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)		JJ		
P92A	M-				(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)		JJ		
P93A	M-				(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)		JJ		
P512A	M-				(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)		JJ		
P515A	M-				(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)		JJ		
P520A	M-				(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)		JJ		
P525A	M-				(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)		JJ		
R73A	M-				(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)			JJ		
R75A	M-			(AB)	(PR)	(MD)	W	XX	K	Q	(40)	(50)	(65)	(80)		JJ		
R91A	M-				(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)		JJ		
R92A	M-				(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)		JJ		
R93A	M-				(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)		JJ		
R512A	M-				(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)		JJ		
R515A	M-				(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)		JJ		
R520A	M-				(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)		JJ		
R525A	M-				(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)		JJ		
RX75	M-			(AB)	(PR)	(MD)	W	XX	K	Q	(40)	(50)	(65)	(80)		JJ		
RX75R	M-			(AB)	(PR)	(MD)	W	XX	K	Q	(40)	(50)	(65)	(80)		JJ		
RX92R	M-				(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)		JJ		
RX92.1	M-				(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)		JJ		
RX510	M-				(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)		JJ		
RX512R	M-				(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)		JJ		
RX515	M-				(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)		JJ		
RX520	M-				(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)		JJ		
HS5	MG		TN				W	XX	K	Q	15					JJ		
HS10	MG		TN				W	XX	K	Q	20					JJ		
HS18	MG		TN				W	XX	K	Q	25					JJ		
HP20	MG			(AB)	(PR)	(MD)	W	XX	K	Q	(25)	(32)	(40)			JJ		
HP30	MG			(AB)	(PR)	(MD)	W	XX	K	Q	(32)	(40)				JJ		
HP60	MG			(AB)	(PR)	(MD)	W	XX	K	Q	(40)	(50)	(65)			JJ		
HP65	MG			(AB)	(PR)	(MD)	W	XX	K	Q	(50)	(65)				JJ		
HP72	MG			(AB)	(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)			JJ		
HP73A	MG			(AB)	(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)		JJ		
HP91A	MG				(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)		JJ		
HP92A	MG				(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)		JJ		
HP93A	MG				(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)		JJ		
HP512A	MG				(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)		JJ		
HP515A	MG				(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)		JJ		
HP520A	MG				(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)		JJ		
HP525A	MG				(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)		JJ		
HR73A	MG				(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)		JJ		
HR75A	MG			(AB)	(PR)	(MD)	W	XX	K	Q	(40)	(50)	(65)	(80)	(100)	JJ		
HR91A	MG				(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)		JJ		
HR92A	MG				(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)		JJ		
HR93A	MG				(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)		JJ		
HR512A	MG				(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)		JJ		

**Number** KIP-16539/G **Page** 2 of 4  
**Issue date** 02-03-2020 **Scope** (EU) 2016/426 (9 March 2016)  
**Due date** 01-03-2030 **Module** B (Type testing)  
**Report number** 150900750/4  
**PIN** 0476CQ0750

## APPENDIX TO EU TYPE-EXAMINATION CERTIFICATE (GAR)

HR515A	MG			(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)		JJ		
HR520A	MG			(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)		JJ		
HR525A	MG			(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)		JJ		
HRX92R	MG			(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)		JJ		
HRX92.1	MG			(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)		JJ		
KP60	MN			(PR)	(MD)	W	XX	K	Q	(40)	(50)	(65)			JJ		
KP72	MN			(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)			JJ		
KP73	MN		(AB)	(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)		JJ		
KP91	MN			(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)		JJ		
KP92	MN			(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)		JJ		
KP93	MN			(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)		JJ		
KP512	MN			(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)		JJ		
KP515	MN			(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)		JJ		
KP520	MN			(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)		JJ		
KP525	MN			(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)		JJ		
KR73	MN		(AB)	(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)		JJ		
KR75	MN		(AB)	(PR)	(MD)	W	XX	K	Q	(40)	(50)	(65)	(80)	(100)	JJ		
KR91	MN			(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)		JJ		
KR92	MN			(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)		JJ		
KR93	MN			(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)		JJ		
KR512	MN			(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)		JJ		
KR515	MN			(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)		JJ		
KR520	MN			(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)		JJ		
KR525	MN			(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)		JJ		
LX60	M-		(AB)	(PR)	(MD)	W	XX	K	Q	(32)	(40)	(50)	(65)	(80)	JJ		
LX65	M-		(AB)	(PR)	(MD)	W	XX	K	Q	(32)	(40)	(50)	(65)		JJ		
LX72	M-		(AB)	(PR)	(MD)	W	XX	K	Q	(40)	(50)	(65)	(80)		JJ		
LX90	M-			(PR)	(MD)	W	XX	K	Q	(40)	(50)	(65)	(80)	(100)	JJ		
LX91	M-			(PR)	(MD)	W	XX	K	Q	(40)	(50)	(65)	(80)	(100)	JJ		
LX510	M-			(PR)	(MD)	W	XX	K	Q		(50)	(65)	(80)	(100)	JJ		
LX515	M-			(PR)	(MD)	W	XX	K	Q		(50)	(65)	(80)	(100)	JJ		
LX520	M-			(PR)	(MD)	W	XX	K	Q		(50)	(65)	(80)	(100)	JJ		
P61	L-		(AB)	(PR)	(MD)	W	XX	K	Q	(32)	(40)	(50)	(65)		JJ		
P65	L-		(AB)	(PR)	(MD)	W	XX	K	Q	(32)	(40)	(50)	(65)		JJ		
P71	L-		(AB)	(PR)	(MD)	W	XX	K	Q	(40)	(50)	(65)	(80)		JJ		
P73A	L-		(AB)	(PR)	(MD)	W	XX	K	Q	(40)	(50)	(65)	(80)		JJ		
HP73A	LG		(AB)	(PR)	(MD)	W	XX	K	Q	(40)	(50)	(65)	(80)	(100)	JJ		
KP73A	LN			(PR)	(MD)	W	XX	K	Q	(40)	(50)	(65)	(80)	(100)	JJ		
R73A	L-			(PR)	(MD)	W	XX	K	Q	(40)	(50)	(65)	(80)		JJ		
HR73A	LG			(PR)	(MD)	W	XX	K	Q	(40)	(50)	(65)	(80)	(100)	JJ		
KR73A	LN			(PR)	(MD)	W	XX	K	Q	(40)	(50)	(65)	(80)	(100)	JJ		
R75A	L-		(AB)	(PR)	(MD)	W	XX	K	Q	(32)	(40)	(50)			JJ		
HR75A	LG		(AB)	(PR)	(MD)	W	XX	K	Q	(32)	(40)	(50)			JJ		
KR75A	LN		(AB)	(PR)	(MD)	W	XX	K	Q	(32)	(40)	(50)			JJ		
C85A	M-	/		(AB)	(PR)	(MD)	W	XX	K	Q	(32)	(40)	(50)	(65)		JJ	
C83X	(M-)	(MG)		(AB)	(PR)	(MD)	W	XX	K	Q	(32)	(40)	(50)	(65)		JJ	
C92A	MG	/		(AB)	(PR)	(MD)	W	XX	K	Q	(32)	(40)	(50)	(65)		JJ	
C120A	(M-)	(MG)		(AB)	(PR)	(MD)	W	XX	K	Q	(40)	(50)	(65)	(80)		JJ	
E165A	(M-)	(MG)		(AB)	(PR)	(MD)	W	XX	K	Q	(40)	(50)	(65)	(80)		JJ	
E205A	(M-)	(MG)		(AB)	(PR)	(MD)	W	XX	K	Q	(40)	(50)	(65)	(80)		JJ	
E115X	(M-)	(MG)		(AB)	(PR)	(MD)	W	XX	K	Q	(40)	(50)	(65)	(80)		JJ	
E140X	(M-)	(MG)		(AB)	(PR)	(MD)	W	XX	K	Q	(40)	(50)	(65)	(80)		JJ	
E190X	(M-)	(MG)		(AB)	(PR)	(MD)	W	XX	K	Q	(40)	(50)	(65)	(80)		JJ	
G215X	(M-)	(MG)		(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)		JJ		
G250X	(M-)	(MG)		(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)		JJ		
G300X	(M-)	(MG)		(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)		JJ		
G290A	(M-)	(MG)		(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)		JJ		
G310A	(M-)	(MG)		(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)		JJ		

**Number** KIP-16539/G **Page** 3 of 4  
**Issue date** 02-03-2020 **Scope** (EU) 2016/426 (9 March 2016)  
**Due date** 01-03-2030 **Module** B (Type testing)  
**Report number** 150900750/4  
**PIN** 0476CQ0750

## APPENDIX TO EU TYPE-EXAMINATION CERTIFICATE (GAR)

H365X	(M-)	(MG)			(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)		JJ		
H420X	(M-)	(MG)			(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)		JJ		
H440X	(M-)	(MG)			(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)		JJ		
H500X	(M-)	(MG)			(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)		JJ		
H685A	(M-)	(MG)			(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)		JJ		
H630A	(M-)	(MG)			(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)		JJ		
H455A	(M-)	(MG)			(PR)	(MD)	W	XX	K	Q	(50)	(65)	(80)	(100)		JJ		
N880X	(M-)	(MG)			(PR)	(MD)	W	XX	K	Q		(65)	(80)	(100)	(125)	JJ		
N925X	(M-)	(MG)			(PR)	(MD)	W	XX	K	Q		(65)	(80)	(100)	(125)	JJ		
N1060X	(M-)	(MG)			(PR)	(MD)	W	XX	K	Q			(80)	(100)	(125)	JJ		
N1060A	(M-)	(MG)			(PR)	(MD)	W	XX	K	Q			(80)	(100)	(125)	JJ		
N1300A	(M-)	(MG)			(PR)	(MD)	W	XX	K	Q			(80)	(100)	(125)	JJ		
K750A	(M-)	(MG)			(PR)	(MD)	W	XX	K	Q		(65)	(80)	(100)	(125)	JJ		
K890A	(M-)	(MG)			(PR)	(MD)	W	XX	K	Q		(65)	(80)	(100)	(125)	JJ		
K990A	(M-)	(MG)			(PR)	(MD)	W	XX	K	Q			(80)	(100)	(125)	JJ		
K590X	(M-)	(MG)			(PR)	(MD)	W	XX	K	Q		(65)	(80)	(100)	(125)	JJ		
K750X	(M-)	(MG)			(PR)	(MD)	W	XX	K	Q		(65)	(80)	(100)	(125)	JJ		
NG35	M-		(TN)	(AB)			W	XX	K	Q				(10)	(15)			JJ
NGX35	M-		TN				W	XX	K	Q				(10)	(15)			JJ
NGX65	M-		(TN)	(AB)	(PR)	(MD)	W	XX	K	Q				(15)	(20)			JJ
NG70	M-		(TN)	(AB)			W	XX	K	Q				(10)	(15)			JJ
NGX70	M-		(TN)	(AB)			W	XX	K	Q				(10)	(15)	(20)		JJ
NG90	M-		(TN)	(AB)			W	XX	K	Q				(10)	(15)	(20)		JJ
NG120	M-		(TN)	(AB)	(PR)	(MD)	W	XX	K	Q				(15)	(18)	(20)	(25)	JJ
NGX120	M-		(TN)	(AB)	(PR)	(MD)	W	XX	K	Q				(15)	(18)	(20)	(25)	JJ
NGX125	M-		(TN)	(AB)	(PR)	(MD)	W	XX	K	Q						(20)	(25)	JJ
NG140	M-		(TN)	(AB)	(PR)	(MD)	W	XX	K	Q				(15)	(18)	(20)	(25)	JJ
NGX145	M-			(AB)	(PR)	(MD)	W	XX	K	Q			(20)	(25)	(32)	(40)		JJ
NGX170	M-				(PR)	(MD)	W	XX	K	Q				(25)	(32)	(40)		JJ
NG200	M-		(TN)	(AB)	(PR)	(MD)	W	XX	K	Q		(15)	(18)	(20)	(25)	(32)	(40)	JJ
NGX200	M-		(TN)	(AB)	(PR)	(MD)	W	XX	K	Q		(15)	(18)	(20)	(25)	(32)	(40)	JJ
NG280	M-		(TN)	(AB)	(PR)	(MD)	W	XX	K	Q		(15)	(20)	(25)	(32)	(40)	(50)	JJ
NGX280	M-		(TN)	(AB)	(PR)	(MD)	W	XX	K	Q		(15)	(20)	(25)	(32)	(40)	(50)	JJ
NGX300	M-				(PR)	(MD)	W	XX	K	Q			(25)	(32)	(40)	(50)		JJ
NG350	M-		(TN)		(PR)	(MD)	W	XX	K	Q		(15)	(20)	(25)	(32)	(40)		JJ
NGX350	M-		(TN)		(PR)	(MD)	W	XX	K	Q		(15)	(20)	(25)	(32)	(40)		JJ
NG400	M-		(TN)		(PR)	(MD)	W	XX	K	Q		(15)	(20)	(25)	(32)	(40)	(50)	JJ
NGX400	M-		(TN)		(PR)	(MD)	W	XX	K	Q		(15)	(20)	(25)	(32)	(40)	(50)	JJ
NG550	M-		(TN)	(AB)	(PR)	(MD)	W	XX	K	Q	(15)	(20)	(25)	(32)	(40)	(50)	(65)	JJ
NGX550	M-			(AB)	(PR)	(MD)	W	XX	K	Q	(15)	(20)	(25)	(32)	(40)	(50)	(65)	JJ
LG35	L-		(TN)	(AB)			W	XX	K	Q				(10)	(15)			JJ
LG70	L-		(TN)	(AB)			W	XX	K	Q				(10)	(15)			JJ
LG90	L-		(TN)	(AB)			W	XX	K	Q				(10)	(15)	(20)		JJ
LG120	L-		(TN)	(AB)	(PR)	(MD)	W	XX	K	Q				(15)	(18)	(20)	(25)	JJ
LG140	L-		(TN)	(AB)	(PR)	(MD)	W	XX	K	Q				(15)	(18)	(20)	(25)	JJ
LG200	L-		(TN)	(AB)	(PR)	(MD)	W	XX	K	Q		(15)	(18)	(20)	(25)	(32)	(40)	JJ
LG280	L-		(TN)	(AB)	(PR)	(MD)	W	XX	K	Q		(15)	(20)	(25)	(32)	(40)		JJ
LG350	L-		(TN)		(PR)	(MD)	W	XX	K	Q		(15)	(20)	(25)	(32)	(40)		JJ
LG400	L-		(TN)		(PR)	(MD)	W	XX	K	Q		(15)	(20)	(25)	(32)	(40)	(50)	JJ
LG550	L-		(TN)	(AB)	(PR)	(MD)	W	XX	K	Q	(15)	(20)	(25)	(32)	(40)	(50)	(65)	JJ

**Number** KIP-16539/G **Page** 4 of 4  
**Issue date** 02-03-2020 **Scope** (EU) 2016/426 (9 March 2016)  
**Due date** 01-03-2030 **Module** B (Type testing)  
**Report number** 150900750/4  
**PIN** 0476CQ0750

## APPENDIX TO EU TYPE-EXAMINATION CERTIFICATE (GAR)

The extension "W" is replaced by the manufacturer with the Blast Tube Version and type of air inlet.  
 The extension "XX" is replaced by the manufacturer with the initials of the destination country.  
 The extension "K" is replaced by the manufacturer with a letter indicating the burner type.  
 The extension "Q" is replaced by the manufacturer with the Burners Equipment.  
 The extension "JJ" is replaced by the manufacturer with a letter indicating the burner control system.  
 Abbreviations between parenthesis mean that other choices can be available.

### Gas groups:

Models "...M-...", "...MG...", "...MN..."

Group	mbar
E	---
H	---

Group	mbar
Er, E(R)	---
EK	---

Group	mbar
LL	---

Models "...L-...", "...LG...", "...LN..."

Group	mbar
B/P	---

Group	mbar
P	---

The above gas groups can be combined according to the standard EN437:2018 and national situation of countries.

Appliance types: N.A.

Countries:

AL, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MK, MT, NO, NL, PL, PT, RO, SE, SI, SK, TR

Remarks:

The validity of this certificate can be verified on request at the following e-mail address: [info@kiwacermet.it](mailto:info@kiwacermet.it)  
 This certificate will expire if there have been any changes to the product that may have an impact on compliance with the requirements of the Directive. This certificate will expire if there have been any updates and / or changes to the Technical Standards applicable unless specifically approved by Kiwa Cermet Italia.  
 Any total or partial reproduction of this document in any form, without Kiwa Cermet Italia express authorization, is prohibited.